Author index to volume 209

Abbott, M.S., N. Shavit, S. Selman-Reimer and B.R. Selman, Characterization of nucleotide-binding sites on the chloroplast coupling factor 1 using two photolabile analogs 209 (1986) 157
Adavani, S.R. see B.A. Hemmings 209 (1986) 219
Akiba, I. see T. Kubo 209 (1986) 367
Anderton, B.H. see P.A. Robinson 209 (1986) 203
Andreasen, P.A., A. Riccio, K.G. Welinder, R. Douglas, R. Sartorio, L.S. Nielsen, C. Oppenheimer, F. Blasi and K. Danø, Plasminogen activator inhibitor type-1: reactive center and amino-terminal heterogeneity determined by protein and cDNA sequencing 209 (1986) 213
Antonetti, A. see J. Breton 209 (1986) 37
Arad, T. see J. Piefke 209 (1986) 104
Ashley, C.C. see M.P. Timmerman 209 (1986) 1
Ayala, C. see D. Ukena 209 (1986) 122

Barber, J. see P.J. Nixon 209 (1986) 83
Bartrons, R. see C. Espinet 209 (1986) 254
Belfrage, P. see H. Olsson 209 (1986) 175
Bellemann, P. see D. Neuser 209 (1986) 347
Bibb, P.C., D.E. Cochrane and N. Morel-Laurens, Loss of quin 2 accompanies degranulation of mast cells 209 (1986) 169
Blasi, F. see P.A. Andreasen 209 (1986) 213
Bocquet, J. see G. Landemore 209 (1986) 299
Bonser, R.W., J. Dawson, N.T. Thompson, H.F. Hodson and L.G. Garland, Inhibition of phorbol ester stimulated superoxide production by 1-oleoyl-2-acetyl-*sn*-glycerol (OAG); fact or artefact? 209 (1986) 134
Bon, S., J.-Y. Chang and A.D. Strosberg, Identical N-terminal peptide sequences of asymmetric forms and of low-salt-soluble and detergent-soluble amphiphilic dimers of *Torpedo* acetylcholinesterase: Comparison with bovine acetylcholinesterase 209 (1986) 206
Borrello, S., T. Galeotti, G. Palombini and G. Minotti, Restoration of Hydroperoxide-dependent lipid peroxidation by 3-methylcholanthrene induction of cytochrome P-448 in hepatoma microsomes 209 (1986) 305
Both, V. see S.V. Shlyapnikov 209 (1986) 335
Boulter, D. see R.N. Waterhouse 209 (1986) 223
Breton, J., J.-L. Martin, J. Petrich, A. Migus and A. Antonetti, The aosence of a spectroscopically resolved intermediate state P^+B^- in bacterial photosynthesis 209 (1986) 37
Browne, M.J. see I. Dodd 209 (1986) 13
Buckle, M., Regulation of ATP hydrolase activity of the F_0-F_1 complex of rat-liver mitochondria during early hepatic regeneration 209 (1986) 197
Burton, G.W. see K.H. Cheeseman 209 (1986) 191

Carreras, J. see C. Espinet 209 (1986) 254
Castignetti, D. and J. Smarrelli, jr, Siderophores, the iron nutrition of plants, and nitrate reductase 209 (1986) 147
Castle, N.A. and P.N. Strong, Identification of two toxins from scorpion *(Leiurus quinquestriatus)* venom which block distinct classes of calcium-activated potassium channel 209 (1986) 117
Cawston, T.E. and E. Mercer, Preferential binding of collagenase to α_2-macroglobulin in the presence of the tissue inhibitor of metalloproteinases 209 (1986) 9
Cederholm-Williams, S.A. see R.J.P. Williams 209 (1986) 111
Celis, J.E. and P. Madsen, Increased nuclear cyclin/PCNA antigen staining of non S-phase transformed human amnion cells engaged in nucleotide excision DNA repair 209 (1986) 277
Chang, J.-Y. see S. Bon 209 (1986) 206
Cheeseman, K.H., M. Collins, S. Maddix, A. Milia, K. Proudfoot, T.F. Slater, G.W. Burton, A. Webb and K.U. Ingold, Lipid peroxidation in regenerating rat liver 209 (1986) 191
Chen, S.-W. see S.-H. Chiou 209 (1986) 107
Chiou, S.-H., S.-W. Chen and T.-B. Lo, The amino-terminal sequences of four major carp γ-crystallin polypeptides and their homology with frog and calf γ-crystallins 209 (1986) 107
Clore, G.M. see H.R. MacDonald 209 (1986) 295
Cochrane, D.E. see P.C. Bibb 209 (1986) 169
Collins, M. see K.H. Cheeseman 209 (1986) 191
Cooper, C.S. see P.R. Tempest 209 (1986) 357

Daiyasu, H. see S. Koyama 209 (1986) 265
Daly, J.W. see D. Ukena 209 (1986) 122
Dancshazy, Z., R. Govindjee, B. Nelson and T.G. Ebrey, A new intermediate in the photocycle of bacteriorhodopsin 209 (1986) 44
Danø, K. see P.A. Andreasen 209 (1986) 213
Davis, G. see P. Nicotera 209 (1986) 139
Dawson, J. see R.W. Bonser 209 (1986) 134
Decottignies, P. see J.-P. Jacquot 209 (1986) 87
De Kruijff, B. see K. Nicolay 209 (1986) 33
Delamourd, L. see A. Ghazi 209 (1986) 325
Dementiev, A.A. see S.V. Shlyapnikov 209 (1986) 335
Dodd, I., S. Jalalpour, W. Southwick, P. Newsome, M.J. Browne and J.H. Robinson, Large scale, rapid purification of recombinant tissue-type plasminogen activator 209 (1986) 13
Douglas, R. see P.A. Andreasen 209 (1986) 213
Drachev, L.A., A.D. Kaulen, V.P. Skulachev and V.V. Zorina, Protonation of a novel intermediate P is involved in the MbR step of the bacteriorhodopsin photocycle 209 (1986) 316
Dyer, T.A. see P.J. Nixon 209 (1986) 83
Dyer, T.A. see S.M. Hird 209 (1986) 181

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/86/$3.50 © 1986 Federation of European Biochemical Societies

Ebrey, T.G. see Z. Dancshazy 209 (1986) 44
Engels, F., H. Willems and F.P. Nijkamp, Cyclooxygenase-catalyzed formation of 9-hydroxylinoleic acid by guinea pig alveolar macrophages under non-stimulated conditions 209 (1986) 249
Epand, R.M. and S.-W. Hui, Effect of electrostatic repulsion on the morphology and thermotropic transitions of anionic phospholipids 209 (1986) 257
Esnouf, P. see R.J.P. Williams 209 (1986) 111
Espinet, C., R. Bartrons and J. Carreras, Fructose 2,6-bisphosphate and glucose 1,6-bisphosphate in erythrocytes during chicken development 209 (1986) 254

Falloon, J., H. Malech, G. Milligan, C. Unson, R. Kahn, P. Goldsmith and A. Spiegel, Detection of the major pertussis toxin substrate of human leukocytes with antisera raised against synthetic peptides 209 (1986) 352
Felipo, V. and S. Grisolía, Precursors of mitochondrial proteins are degraded in the cytosol at different rates 209 (1986) 227

Galeotti, T. see S. Borrello 209 (1986) 305
Garland, L.G. see R.W. Bonser 209 (1986) 134
Gatehouse, J.A. see R.N. Waterhouse 209 (1986) 223
Gerisch, G. see M. Westphal 209 (1986) 92
Gewitz, H.S. see J. Piefke 209 (1986) 104
Ghazi, A., L. Delamourd and E. Shechter, Absence of a unique relationship between active transport of lactose and protonmotive force in *E. coli* 209 (1986) 325
Goldsmith, P. see J. Falloon 209 (1986) 352
Govindjee, R. see Z. Dancshazy 209 (1986) 44
Gray, J.C. see S.M. Hird 209 (1986) 181
Grigoriadis, D.E. see H.B. Niznik 209 (1986) 71
Grisolía, S. see V. Felipo 209 (1986) 227
Gronenborn, A.M. see H.R. MacDonald 209 (1986) 295

Haga, K. see T. Kubo 209 (1986) 367
Haga, T. see T. Kubo 209 (1986) 367
Hartzell, P. see P. Nicotera 209 (1986) 139
Hase, S. see S. Koyama 209 (1986) 265
Hemmings, B.A., M. Schwarz, S.R. Adavani and D.A. Jans, Expression cloning of a cDNA encoding the type II regulatory subunit of the cAMP-dependent protein kinase 209 (1986) 219
Hird, S.M., T.A. Dyer and J.C. Gray, The gene for the 10 kDa phosphoprotein of photosystem II is located in chloroplast DNA 209 (1986) 181
Hirose, T. see T. Kubo 209 (1986) 367
Hiwatashi, A., N. Sakihama, M. Shin and Y. Ichikawa, Heterogeneity of adrenocortical ferredoxin 209 (1986) 311
Ho, C.-L. and J.-L. Ko, Hornetin: the lethal protein of the hornet *(Vespa flavitarsus)* venom 209 (1986) 18
Hodson, H.F. see R.W. Bonser 209 (1986) 134
Homma, M. see D.S. Samuels 209 (1986) 231
Höppener, J.W.M. see P.H. Steenbergh 209 (1986) 97
Houwing, C.J. and E.M.J. Jaspars, Coat protein blocks the in vitro transcription of the virion RNAs of alfalfa mosaic virus 209 (1986) 284
Hui, S.-W. see R.M. Epand 209 (1986) 257
Hunter, C.N. see P.J. Nixon 209 (1986) 83
Huszti, Z. and E. Tyihák, Formation of formaldehyde from *S*-adenosyl-L-[*methyl*-^{3}H]-methionine during enzymic transmethylation of histamine 209 (1986) 362

Ichikawa, Y. see A. Hiwatashi 209 (1986) 3
Ichiyama, A. see T. Kubo 209 (1986) 367
Ikenaka, T. see S. Koyama 209 (1986) 265
Imaizumi, M. see M. Tanokura 209 (1986) 77
Ingold, K.U. see K.H. Cheeseman 209 (1986) 191
Inoue, J., M. Seiki and M. Yoshida, The second pX product p27$^{x\text{-}III}$ of HTLV-1 is required for gag gene expression 209 (1986) 187
Izard, J. see G. Landemore 209 (1986) 29

Jacobson, K.A. see D. Ukena 209 (1986) 122
Jacquot, J.-P. and P. Decottignies, Further evidence for a role of sulfhydryls in the thioredoxin dependent activation of corn NADP-malate dehydrogenase: Use of a cysteine free mutant of *E. coli* thioredoxin 209 (1986) 87
Jalalpour, S. see I. Dodd 209 (1986) 13
Jans, D.A. see B.A. Hemmings 209 (1986) 219
Jansz, H.S. see P.H. Steenbergh 209 (1986) 97
Jarett, L. see K.L. Kelly 209 (1986) 238
Jaspars, E.M.J. see C.J. Houwing 209 (1986) 284
Jensen, L.H. see L.C. Sieker 209 (1986) 261
Joseph, S.K. see C.V. Nicchitta 209 (1986) 243

Kahn, R. see J. Falloon 209 (1986) 352
Kangawa, K. see T. Kubo 209 (1986) 367
Kariya, K. see E. Lee 209 (1986) 49
Kaulen, A.D. see L.A. Drachev 209 (1986) 316
Kaul, R., D. Saluja and R.C. Sachar, Phosphorylation of small subunit plays a crucial role in the regulation of RuBPCase in moss and spinach 209 (1986) 63
Kelly, K.L., J.M. Mato and L. Jarett, The polar head group of a novel insulin-sensitive glycophospholipid mimics insulin action on phospholipid methyltransferase 209 (1986) 238
Kirk, K.L. see D. Ukena 209 (1986) 122
Kobayashi, Y. see S. Koyama 209 (1986) 265
Ko, J.-L. see C.-L. Ho 209 (1986) 18
Koyama, S., H. Daiyasu, S. Hase, Y. Kobayashi, Y. Kyogoku and T. Ikenaka, ^{1}H-NMR analysis of the sugar structures of glycoproteins as their pyridylamino derivatives 209 (1986) 265
Kubo, T., A. Maeda, K. Sugimoto, I. Akiba, A. Mikami, H. Takahashi, T. Haga, K. Haga, A. Ichiyama, K. Kangawa, H. Matsuo, T. Hirose and S. Numa, Primary structure of porcine cardiac muscarinic acetylcholine receptor deduced from the cDNA sequence 209 (1986) 367

Kulikov, V.A. see S.V. Shlyapnikov 209 (1986) 335
Kyogoku, Y. see S. Koyama 209 (1986) 265

Landemore, G., S.-E. Letaïef, J. Bocquet and J. Izard, Kurloff cell proteoglycans: Evidence for de novo synthesis of chondroitin sulphate proteoglycans by purified Kurloff cells 209 (1986) 299
Lawrence, M. see R.J.P. Williams 209 (1986) 111
Lee, E. and K. Kariya, Propylthiouracil, a selective inhibitor of NADH-cytochrome b_5 reductase 209 (1986) 49
LeGall, J. see L.C. Sieker 209 (1986) 261
Leneveu, E. and M. Simonneau, Scorpion venom inhibits selectively Ca^{2+}-activated K^+ channels in situ 209 (1986) 165
Letaïef, S.E. see G. Landemore 209 (1986) 299
Levinger, L.F. and G.S. Nass, A unique nucleoprotein structure associated with the *Drosophila melanogaster* 18–28 S rDNA non-transcribed spacer 209 (1986) 340
Lingens, F. see W. Wiesner 209 (1986) 321
Lips, C.J.M. see P.H. Steenbergh 209 (1986) 97
Lo, T.-B. see S.-H. Chiou 209 (1986) 107
Lottspeich, F. see R. Schlipfenbacher 209 (1986) 57
Luzzato, L. see E.A. Usanga 209 (1986) 23

MacDonald, H.R., P. Wingfield, U. Schmeissner, A. Shaw, G.M. Clore and A.M. Gronenborn, Point mutations of human interleukin-1 with decreased receptor binding affinity 209 (1986) 295
Maddix, S. see K.H. Cheeseman 209 (1986) 191
Madsen, P. see J.E. Celis 209 (1986) 277
Maeda, A. see T. Kubo 209 (1986) 367
Major, G.N. see P.R. Tempest 209 (1986) 357
Malech, H. see J. Falloon 209 (1986) 352
Martin, J. -L. see J. Breton 209 (1986) 37
Mato, J.M. see K.L. Kelly 209 (1986) 238
Matsuo, H. see T. Kubo 209 (1986) 367
McDougall, J. and R.N. Nazar, Accessibility of phosphodiester bonds in the yeast ribosomal 5 S RNA protein complex 209 (1986) 52
Mercer, E. see T.E. Cawston 209 (1986) 9
Migus, A. see J. Breton 209 (1986) 37
Mikami, A. see T. Kubo 209 (1986) 367
Milia, A. see K.H. Cheeseman 209 (1986) 191
Milligan, G. see J. Falloon 209 (1986) 352
Minotti, G. see S. Borrello 209 (1986) 305
Miwa, M. see H. Shima 209 (1986) 289
Morel-Laurens, N. see P.C. Bibb 209 (1986) 169
Müller-Taubenberger, A. see M. Westphal 209 (1986) 92

Nass, G.S. see L.F. Levinger 209 (1986) 340
Nazar, R.N. see J. McDougall 209 (1986) 52
Neidle, S. see L.H. Pearl 209 (1986) 269
Nelson, B. see Z. Dancshazy 209 (1986) 44
Neupert, W. see N. Pfanner 209 (1986) 152
Neuser, D. and P. Bellemann, Receptor binding, cGMP stimulation and receptor desensitization by atrial natriuretic peptides in cultured A10 vascular smooth muscle cells 209 (1986) 347
Newsome, P. see I. Dodd 209 (1986) 13
Nicchitta, C.V., S.K. Joseph and J.R. Williamson, Polyethylene glycol-stimulated microsomal GTP hydrolysis: Relationship to GTP-mediated Ca^{2+} release 209 (1986) 243
Nicolay, K., E.B. Smaal and B. de Kruijff, Ethylene glycol causes acyl chain disordering in liquid-crystalline, unsaturated phospholipid model membranes, as measured by ^2H NMR 209 (1986) 33
Nicotera, P., P. Hartzell, G. Davis and S. Orrenius, The formation of plasma membrane blebs in hepatocytes exposed to agents that increase cytosolic Ca^{2+} is mediated by the activation of a non-lysosomal proteolytic system 209 (1986) 139
Nielsen, L.S. see P.A. Andreasen 209 (1986) 213
Nijkamp, F.P. see F. Engels 209 (1986) 249
Nixon, P.J., T.A. Dyer, J. Barber and C.N. Hunter, Immunological evidence for the presence of the D1 and D2 proteins in PS II cores of higher plants 209 (1986) 83
Niznik, H.B., D.E. Grigoriadis and P. Seeman, Photoaffinity labelling of dopamine D_2 receptors by [^{3}H]azidomethylspiperone 209 (1986) 71
Noegel, A. see M. Westphal 209 (1986) 92
Nomura, K., Specificity of prolyl endopeptidase 209 (1986) 235
Numa, S. see T. Kubo 209 (1986) 367

O'Brien, E. see E.A. Usanga 209 (1986) 23
Olsson, H., P. Strålfors and P. Belfrage, Phosphorylation of the basal site of hormone-sensitive lipase by glycogen synthase kinase-4 209 (1986) 175
Olsson, R.A. see D. Ukena 209 (1986) 122
Oppenheimer, C. see P.A. Andreasen 209 (1986) 213
Orrenius, S. see P. Nicotera 209 (1986) 139

Padgett, W.L. see D. Ukena 209 (1986) 122
Palmqvist, K. see L.-G. Sundblad 209 (1986) 28
Palombini, G. see S. Borrello 209 (1986) 305
Pearl, L.H. and S. Neidle, Origins of stereospecificity in DNA damage by *anti*-benzo[*a*]pyrene diol-epoxides: A molecular modelling study 209 (1986) 269
Petrich, J. see J. Breton 209 (1986) 37
Pfanner, N. and W. Neupert, Transport of F_1-ATPase subunit β into mitochondria depends on both a membrane potential and nucleoside triphosphates 209 (1986) 152
Piefke, J., T. Arad, H.S. Gewitz, A. Yonath and H.G. Wittmann, The growth of ordered two-dimensional sheets of 70 S ribosomes from *Bacillus stearothermophilus* 209 (1986) 104
Proudfoot, K. see K.H. Cheeseman 209 (1986) 191

Ranu, R.S. see R.C. Roberts 209 (1986) 162
Riccio, A. see P.A. Andreasen 209 (1986) 213

Roberts, R.C. and R.S. Ranu, Regulation of protein synthesis in rabbit reticulocyte lysates: Requirement of initiation factor eIF-2 holoprotein for substrate specificity of heme-regulated protein kinase 209 (1986) 162
Robinson, J.H. see I. Dodd 209 (1986) 13
Robinson, P.A., D. Wion and B.H. Anderton, Isolation of a cDNA for the rat heavy neurofilament polypeptide (NF-H) 209 (1986) 203

Sachar, R.C. see R. Kaul 209 (1986) 63
Sakihama, N. see A. Hiwatashi 209 (1986) 311
Saluja, D. see R. Kaul 209 (1986) 63
Samuels, D.S., T. Tojo, M. Homma and N. Shimizu, Inhibition of topoisomerase I by antibodies in sera from scleroderma patients 209 (1986) 231
Samuelsson, G. see L.-G. Sundblad 209 (1986) 28
Sartorio, R. see P.A. Andreasen 209 (1986) 213
Schlipfenbacher, R., S. Wenzl, F. Lottspeich and M. Sumper, An extremely hydroxyproline-rich glycoprotein is expressed in inverting *Volvox* embryos 209 (1986) 57
Schmeissner, U. see H.R. MacDonald 209 (1986) 295
Schwarz, M. see B.A. Hemmings 209 (1986) 219
Seeman, P. see H.B. Niznik 209 (1986) 71
Seiki, M. see J. Inoue 209 (1986) 187
Selman, B.R. see M.S. Abbott 209 (1986) 157
Selman-Reimer, S. see M.S. Abbott 209 (1986) 157
Ševčík, J. see S.V. Shlyapnikov 209 (1986) 335
Shamim, M.T. see D. Ukena 209 (1986) 122
Shavit, N. see M.S. Abbott 209 (1986) 157
Shaw, A. see H.R. MacDonald 209 (1986) 295
Shechter, E. see A. Ghazi 209 (1986) 325
Shima, H., M. Takano, K. Shimotohno and M. Miwa, Identification of $p26^{Xb}$ and $p24^{Xb}$ of human T-cell leukemia virus type II 209 (1986) 289
Shimizu, N. see D.S. Samuels 209 (1986) 231
Shimotohno, K. see H. Shima 209 (1986) 289
Shin, M. see A. Hiwatashi 209 (1986) 311
Shlyapnikov, S.V., V. Both, V.A. Kulikov, A.A. Dementiev, J. Ševčík and J. Zelinka, Amino acid sequence determination of guanyl-specific ribonuclease Sa from *Streptomyces aureofaciens* 209 (1986) 335
Sieker, L.C., L.H. Jensen and J. LeGall, Preliminary X-ray studies of the tetra-heme cytochrome c_3 and the octa-heme cytochrome c_3 from *Desulfovibrio gigas* 209 (1986) 261
Simonneau, M. see E. Leneveu 209 (1986) 165
Skulachev, V.P. see L.A. Drachev 209 (1986) 316
Slater, T.F. see K.H. Cheeseman 209 (1986) 191
Smaal, E.B. see K. Nicolay 209 (1986) 33
Smarrelli, J. jr. see D. Castignetti 209 (1986) 147
Southwick, W. see I. Dodd 209 (1986) 13
Spiegel, A. see J. Falloon 209 (1986) 352
Stammers, D.K. see R. Wootton 209 (1986) 129
Steenbergh, P.H., J.W.M. Höppener, J. Zandberg, A. Visser, C.J.M. Lips and H.S. Jansz, Structure and expression of the human calcitonin/CGRP genes 209 (1986) 97
Strålfors, P. see H. Olsson 209 (1986) 175
Strong, P.N. see N.A. Castle 209 (1986) 117
Strosberg, A.D. see S. Bon 209 (1986) 206
Sugimoto, K. see T. Kubo 209 (1986) 367
Sumper, M. see R. Schlipfenbacher 209 (1986) 57
Sundblad, L.-G., K. Palmqvist and G. Samuelsson, Luminescence decay kinetics in relation to the relaxation of the transthylakoid ΔpH from high and low CO_2 adapted cells of *Scenedesmus obliquus* 209 (1986) 28

Takahashi, H. see T. Kubo 209 (1986) 367
Takano, M. see H. Shima 209 (1986) 289
Tanabe, T. see K. Wada 209 (1986) 330
Tanokura, M., M. Imaizumi and K. Yamada, A calorimetric study of Ca^{2+} binding by the parvalbumin of the toad (*Bufo*): distinguishable binding sites in the molecule 209 (1986) 77
Tempest, P.R., C.S. Cooper and G.N. Major, The activated human *met* gene encodes a protein tyrosine kinase 209 (1986) 357
Thompson, N.T. see R.W. Bonser 209 (1986) 134
Timmerman, M.P. and C.C. Ashley, Fura-2 diffusion and its use as an indicator of transient free calcium changes in single striated muscle cells 209 (1986) 1
Tojo, T. see D.S. Samuels 209 (1986) 231
Tyihák, E. see Z. Huszti 209 (1986) 362

Ukena, D., K.A. Jacobson, W.L. Padgett, C. Ayala, M.T. Shamim, K.L. Kirk, R.A. Olsson and J.W. Daly, Species differences in structure-activity relationships of adenosine agonists and xanthine antagonists at brain A1 adenosine receptors 209 (1986) 122
Unson, C. see J. Falloon 209 (1986) 352
Usanga, E.A., E. O'Brien and L. Luzzato, Mitotic inhibitors arrest the growth of *Plasmodium falciparum* 209 (1986) 23

Van Pee, K.-H. see W. Wiesner 209 (1986) 321
Visser, A. see P.H. Steenbergh 209 (1986) 97

Wada, K. and T. Tanabe, N-terminal amino acid sequences of the heavy and light chains of chicken liver cathepsin L 209 (1986) 330
Waterhouse, R.N., D. Boulter and J.A. Gatehouse, An organ-specific hypomethylation of cotyledon genomic rDNA in *Pisum sativum* L. 209 (1986) 223
Webb, A. see K.H. Cheeseman 209 (1986) 191
Welinder, K.G. see P.A. Andreasen 209 (1986) 213
Wenzl, S. see R. Schlipfenbacher 209 (1986) 57
Westphal, M., A. Müller-Taubenberger, A. Noegel and G. Gerisch, Transcript regulation and carboxyterminal extension of ubiquitin in *Dictyostelium discoideum* 209 (1986) 92
White, R.D. see R. Wootton 209 (1986) 129
Wiesner, W., K.-H. van Pee and F. Lingens, Detection of a new chloroperoxidase in *Pseudomonas pyrrocinia* 209 (1986) 321
Willems, H. see F. Engels 209 (1986) 249

Williamson, J.R. see C.V. Nicchitta 209 (1986) 243
Williams, R.J.P., P. Esnouf, M. Lawrence and S.A. Cederholm-Williams, The similarities and differences in structures between kringle 1 of prothrombin and kringle 4 of plasminogen 209 (1986) 111
Wingfield, P. see H.R. MacDonald 209 (1986) 295
Wion, D. see P.A. Robinson 209 (1986) 203
Wittmann, H.G. see J. Piefke 209 (1986) 104
Wootton, R., D.K. Stammers and R.D. White, Reduction in potency and reversal of left-shifting activity of BW12C with the major and minor components of chicken hemoglobin 209 (1986) 129
Yamada, K. see M. Tanokura 209 (1986) 77
Yonath, A. see J. Piefke 209 (1986) 104
Yoshida, M. see J. Inoue 209 (1986) 187
Zandberg, J. see P.H. Steenbergh 209 (1986) 97
Zelinka, J. see S.V. Shlyapnikov 209 (1986) 335
Zorina, V.V. see L.A. Drachev 209 (1986) 316

Contents to volume 209

Research Letters

Fura-2 diffusion and its use as an indicator of transient free calcium changes in single striated muscle cells (FEBS 4222) *M.P. Timmerman, C.C. Ashley* 1

Preferential binding of collagenase to α_2-macroglobulin in the presence of the tissue inhibitor of metalloproteinases (FEBS 4238) *T.E. Cawston, E. Mercer* 9

Large scale. rapid purification of recombinant tissue-type plasminogen activator (FEBS 4246) *I. Dodd, S. Jalalpour, W. Southwick, P. Newsome, M.J. Browne, J.H. Robinson* 13

Hornetin: the lethal protein of the hornet *(Vespa flavitarsus)* venom (FEBS 4253) *C.-L. Ho, J.-L. Ko* 18

Mitotic inhibitors arrest the growth of *Plasmodium falciparum* (FEBS 4243) *E.A. Usanga, E. O'Brien, L. Luzzato* 23

Luminescence decay kinetics in relation to the relaxation of the transthylakoid ΔpH from high and low CO_2 adapted cells of *Scenedesmus obliquus* (FEBS 4240) *L.-G. Sundblad, K. Palmqvist, G. Samuelsson* 28

Ethylene glycol causes acyl chain disordering in liquid-crystalline, unsaturated phospholipid model membranes, as measured by ^{2}H NMR (FEBS 4239) *K. Nicolay, E.B. Smaal, B. de Kruijff* 33

The absence of a spectroscopically resolved intermediate state P^+B^- in bacterial photosynthesis (FEBS 4242) *J. Breton, J. -L. Martin, J. Petrich, A. Migus, A. Antonetti* 37

A new intermediate in the photocycle of bacteriorhodopsin (FEBS 4252) *Z. Dancshazy, R. Govindjee, B. Nelson, T.G. Ebrey* 44

Propylthiouracil, a selective inhibitor of NADH-cytochrome b_5 reductase (FEBS 4251) *E. Lee, K. Kariya* 49

Accessibility of phosphodiester bonds in the yeast ribosomal 5 S RNA protein complex (FEBS 4244) *J. McDougall, R.N. Nazar* 52

An extremely hydroxyproline-rich glycoprotein is expressed in inverting *Volvox* embryos (FEBS 4241) *R. Schlipfenbacher, S. Wenzl, F. Lottspeich, M. Sumper* 57

Phosphorylation of small subunit plays a crucial role in the regulation of RuBPCase in moss and spinach (FEBS 4248) *R. Kaul, D. Saluja, R.C. Sachar* 63

Photoaffinity labelling of dopamine D_2 receptors by [^{3}H]azidomethylspiperone (FEBS 4234) *H.B. Niznik, D.E. Grigoriadis, P. Seeman* 71

A calorimetric study of Ca^{2+} binding by the parvalbumin of the toad (*Bufo*): distinguishable binding sites in the molecule (FEBS 4245) *M. Tanokura, M. Imaizumi, K. Yamada* 77

Immunological evidence for the presence of the D1 and D2 proteins in PS II cores of higher plants (FEBS 4263) *P.J. Nixon, T.A. Dyer, J. Barber, C.N. Hunter* 83

Further evidence for a role of sulfhydryls in the thioredoxin dependent activation of corn NADP-malate dehydrogenase: Use of a cysteine free mutant of *E. coli* thioredoxin (FEBS 4259) *J.-P. Jacquot, P. Decottignies* 87

Transcript regulation and carboxyterminal extension of ubiquitin in *Dictyostelium discoideum* (FEBS 4262) *M. Westphal, A. Müller-Taubenberger, A. Noegel, G. Gerisch* 92

Structure and expression of the human calcitonin/CGRP genes (FEBS 4258) *P.H. Steenbergh, J.W.M. Höppener, J. Zandberg, A. Visser, C.J.M. Lips, H.S. Jansz* 97

The growth of ordered two-dimensional sheets of 70 S ribosomes from *Bacillus stearothermophilus* (FEBS 4231) *J. Piefke, T. Arad, H.S. Gewitz, A. Yonath, H.G. Wittmann* 104

The amino-terminal sequences of four major carp γ-crystallin polypeptides and their homology with frog and calf γ-crystallins (FEBS 4260) *S.-H. Chiou, S.-W. Chen, T.-B. Lo* 107

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/86/$3.50 © 1986 Federation of European Biochemical Societies

The similarities and differences in structures between kringle 1 of prothrombin and kringle 4 of plasminogen (FEBS 4250) *R.J.P. Williams, P. Esnouf, M. Lawrence, S.A. Cederholm-Williams* 111
Identification of two toxins from scorpion *(Leiurus quinquestriatus)* venom which block distinct classes of calcium-activated potassium channel (FEBS 4256) *N.A. Castle, P.N. Strong* 117
Species differences in structure-activity relationships of adenosine agonists and xanthine antagonists at brain A1 adenosine receptors (FEBS 4264) *D. Ukena, K.A. Jacobson, W.L. Padgett, C. Ayala, M.T. Shamim, K.L. Kirk, R.A. Olsson, J.W. Daly* 122
Reduction in potency and reversal of left-shifting activity of BW12C with the major and minor components of chicken hemoglobin (FEBS 4002) *R. Wootton, D.K. Stammers, R.D. White* 129
Inhibition of phorbol ester stimulated superoxide production by 1-oleoyl-2-acetyl-*sn*-glycerol (OAG); fact or artefact? (FEBS 4261) *R.W. Bonser, J. Dawson, N.T. Thompson, H.F. Hodson, L.G. Garland* 134
The formation of plasma membrane blebs in hepatocytes exposed to agents that increase cytosolic Ca^{2+} is mediated by the activation of a non-lysosomal proteolytic system (FEBS 4254) *F. Nicotera, P. Hartzell, G. Davis, S. Orrenius* 139

Notes to Authors 145

Review–Hypothesis

Siderophores, the iron nutrition of plants, and nitrate reductase (FEBS 4278) *D. Castignetti, J. Smarrelli, jr* 147

Research Letters

Transport of F_1-ATPase subunit β into mitochondria depends on both a membrane potential and nucleoside triphosphates (FEBS 4274) *N. Pfanner, W. Neupert* 152
Characterization of nucleotide-binding sites on the chloroplast coupling factor 1 using two photolabile analogs (FEBS 4268) *M.S. Abbott, N. Shavit, S. Selman-Reimer, B.R. Selman* 157
Regulation of protein synthesis in rabbit reticulocyte lysates: Requirement of initiation factor eIF-2 holoprotein for substrate specificity of heme-regulated protein kinase (FEBS 4265) *R.C. Roberts, R.S. Ranu* 162
Scorpion venom inhibits selectively Ca^{2+}-activated K^+ channels in situ (FEBS 4266) *E. Leneveu, M. Simonneau* 165
Loss of quin 2 accompanies degranulation of mast cells (FEBS 4271) *P.C. Bibb, D.E. Cochrane, N. Morel-Laurens* 169
Phosphorylation of the basal site of hormone-sensitive lipase by glycogen synthase kinase-4 (FEBS 4267) *H. Olsson, P. Strålfors, P. Belfrage* 175
The gene for the 10 kDa phosphoprotein of photosystem II is located in chloroplast DNA (FEBS 4269) *S.M. Hird, T.A. Dyer, J.C. Gray* 181
The second pX product $p27^{x\text{-}III}$ of HTLV-1 is required for gag gene expression (FEBS 4273) *J. Inoue, M. Seiki, M. Yoshida* 187
Lipid peroxidation in regenerating rat liver (FEBS 4255) *K.H. Cheeseman, M. Collins, S. Maddix, A. Milia, K. Proudfoot, T.F. Slater, G.W. Burton, A. Webb, K.U. Ingold* 191
Regulation of ATP hydrolase activity of the F_0-F_1 complex of rat-liver mitochondria during early hepatic regeneration (FEBS 4155) *M. Buckle* 197
Isolation of a cDNA for the rat heavy neurofilament polypeptide (NF-H) (FEBS 4249) *P.A. Robinson, D. Wion, B.H. Anderton* 203
Identical N-terminal peptide sequences of asymmetric forms and of low-salt-soluble and detergent-soluble amphiphilic dimers of *Torpedo* acetylcholinesterase: Comparison with bovine acetylcholinesterase (FEBS 4247) *S. Bon, J.-Y. Chang, A.D. Strosberg* 206

Plasminogen activator inhibitor type-1: reactive center and amino-terminal heterogeneity determined by protein and cDNA sequencing (FEBS 4257) *P.A. Andreasen, A. Riccio, K.G. Welinder, R. Douglas, R. Sartorio, L.S. Nielsen, C. Oppenheimer, F. Blasi, K. Danø* 213

Expression cloning of a cDNA encoding the type II regulatory subunit of the cAMP-dependent protein kinase (FEBS 4276) *B.A. Hemmings, M. Schwarz, S.R. Adavani, D.A. Jans* 219

An organ-specific hypomethylation of cotyledon genomic rDNA in *Pisum sativum* L. (FEBS 4291) *R.N. Waterhouse, D. Boulter, J.A. Gatehouse* 223

Precursors of mitochondrial proteins are degraded in the cytosol at different rates (FEBS 4285) *V. Felipo, S. Grisolia* 227

Inhibition of topoisomerase I by antibodies in sera from scleroderma patients (FEBS 4289) *D.S. Samuels, T. Tojo, M. Homma, N. Shimizu* 231

Specificity of prolyl endopeptidase (FEBS 4293) *K. Nomura* 235

The polar head group of a novel insulin-sensitive glycophospholipid mimics insulin action on phospholipid methyltransferase (FEBS 4294) *K.L. Kelly, J.M. Mato, L. Jarett* 238

Polyethylene glycol-stimulated microsomal GTP hydrolysis: Relationship to GTP-mediated Ca^{2+} release (FEBS 4295) *C.V. Nicchitta, S.K. Joseph, J.R. Williamson* 243

Cyclooxygenase-catalyzed formation of 9-hydroxylinoleic acid by guinea pig alveolar macrophages under non-stimulated conditions (FEBS 4280) *F. Engels, H. Willems, F.P. Nijkamp* 249

Fructose 2,6-bisphosphate and glucose 1,6-bisphosphate in erythrocytes during chicken development (FEBS 4298) *C. Espinet, R. Bartrons, J. Carreras* 254

Effect of electrostatic repulsion on the morphology and thermotropic transitions of anionic phospholipids (FEBS 4300) *R.M. Epand, S.-W. Hui* 257

Preliminary X-ray studies of the tetra-heme cytochrome c_3 and the octa-heme cytochrome c_3 from *Desulfovibrio gigas* (FEBS 4287) *L.C. Sieker, L.H. Jensen, J. LeGall* 261

^{1}H-NMR analysis of the sugar structures of glycoproteins as their pyridylamino derivatives (FEBS 4292) *S. Koyama, H. Daiyasu, S. Hase, Y. Kobayashi, Y. Kyogoku, T. Ikenaka* 265

Origins of stereospecificity in DNA damage by *anti*-benzo[*a*]pyrene diol-epoxides: A molecular modelling study (FEBS 4279) *L.H. Pearl, S. Neidle* 269

Increased nuclear cyclin/PCNA antigen staining of non S-phase transformed human amnion cells engaged in nucleotide excision DNA repair (FEBS 4277) *J.E. Celis, P. Madsen* 277

Coat protein blocks the in vitro transcription of the virion RNAs of alfalfa mosaic virus (FEBS 4275) *C.J. Houwing, E.M.J. Jaspars* 284

Identification of $p26^{Xb}$ and $p24^{Xb}$ of human T-cell leukemia virus type II (FEBS 4302) *H. Shima, M. Takano, K. Shimotohno, M. Miwa* 289

Point mutations of human interleukin-1 with decreased receptor binding affinity (FEBS 4272) *H.R. MacDonald, P. Wingfield, U. Schmeissner, A. Shaw, G.M. Clore, A.M. Gronenborn* 295

Kurloff cell proteoglycans: Evidence for de novo synthesis of chondroitin sulphate proteoglycans by purified Kurloff cells (FEBS 4282) *G. Landemore, S.-E. Letaïef, J. Bocquet, J. Izard* 299

Restoration of hydroperoxide-dependent lipid peroxidation by 3-methylcholanthrene induction of cytochrome P-448 in hepatoma microsomes (FEBS 4284) *S. Borrello, T. Galeotti, G. Palombini, G. Minotti* 305

Heterogeneity of adrenocortical ferredoxin (FEBS 4286) *A. Hiwatashi, N. Sakihama, M. Shin, Y. Ichikawa* 311

Protonation of a novel intermediate P is involved in the M→bR step of the bacteriorhodopsin photocycle (FEBS 4281) *L.A. Drachev, A.D. Kaulen, V.P. Skulachev, V.V. Zorina* 316

Detection of a new chloroperoxidase in *Pseudomonas pyrrocinia* (FEBS 4270) *W. Wiesner, K.-H. van Pee, F. Lingens* 321

Absence of a unique relationship between active transport of lactose and protonmotive force in *E. coli* (FEBS 4297) *A. Ghazi, L. Delamourd, E. Shechter* 325

N-terminal amino acid sequences of the heavy and light chains of chicken liver cathepsin L (FEBS 4288) *K. Wada, T. Tanabe* 330
Amino acid sequence determination of guanyl-specific ribonuclease Sa from *Streptomyces aureofaciens* (FEBS 4299) *S.V. Shlyapnikov, V. Both, V.A. Kulikov, A.A. Dementiev, J. Ševčík, J. Zelinka* 335
A unique nucleoprotein structure associated with the *Drosophila melanogaster* 18–28 S rDNA nontranscribed spacer (FEBS 4301) *L.F. Levinger, G.S. Nass* 340
Receptor binding, cGMP stimulation and receptor desensitization by atrial natriuretic peptides in cultured A10 vascular smooth muscle cells (FEBS 4311) *D. Neuser, P. Bellemann* 347
Detection of the major pertussis toxin substrate of human leukocytes with antisera raised against synthetic peptides (FEBS 4296) *J. Falloon, H. Malech, G. Milligan, C. Unson, R. Kahn, P. Goldsmith, A. Spiegel* 352
The activated human *met* gene encodes a protein tyrosine kinase (FEBS 4290) *P.R. Tempest, C.S. Cooper, G.N. Major* 357
Formation of formaldehyde from *S*-adenosyl-L-[*methyl*-^{3}H]methionine during enzymic transmethylation of histamine (FEBS 4303) *Z. Huszti, E. Tyihák* 362
Primary structure of porcine cardiac muscarinic acetylcholine receptor deduced from the cDNA sequence (FEBS 4342) *T. Kubo, A. Maeda, K. Sugimoto, I. Akiba, A. Mikami, H. Takahashi, T. Haga, K. Haga, A. Ichiyama, K. Kangawa, H. Matsuo, T. Hirose, S. Numa* 367

Author Index 373

Table of Contents 378

Notes to Authors 382

FEBS NEWS

A FEBS–CNRS Advanced Course 385